



Main datas

Builder : Sealine

Year : 1989

Length : 11,50

Draft minimum : 0,75

Hull : Monohull

Subtype :

Architect :

Material : GRP

Beam : 3,96

keel : Unknown

Engines

Model : AD 41

Montage : In Board (IB)

Power Unit. (CV) : 200

Hours : 1300

Fuel capacity : 700

Brand : VOLVO

Fuel : Diesel

Engine(s) : 2

Drive : Z drive

Facilities

Sailor Cabin : 0	Double Cabin : 2
WC : Sailor	Head : 2
Helm : No	Berth : 6
	Flybridge : No

Technical Details

The Sealine 365 Sportbridge is an elegant and high-performance cruiser, designed to offer an unmatched maritime experience. This 11.43-meter yacht is ideal for coastal navigation and sea outings, combining comfort and performance.

Main Characteristics:

- Overall Length: 11.43 meters
- Beam: 3.73 meters
- Draft: 0.95 meters
- Displacement: 9,500 kg
- Fuel Tank: 800 liters
- Fresh Water Tank: 350 liters

Engine:

- Engines: 2 x Volvo Penta D4-260 (260 hp each)
- Cruising Speed: Approximately 22 knots
- Maximum Speed: Approximately 28 knots

Interior Layout:

- Cabins: 2 double cabins
- Berths: 4 people
- Bathroom: 1 with shower
- Kitchen: Equipped with refrigerator, sink, and cooktop

Exterior Layout:

- Cockpit: Spacious with benches and dining table
- Flybridge: With helm controls and pilot seats
- Fore Deck: Ideal for swimming and relaxation

Safety Equipment:

- Radar: For safe navigation
- GPS: For precise navigation
- VHF: For sea communications
- Fire Extinguishers and Life Jackets: Compliant with safety standards

The Sealine 365 Sportbridge is an ideal choice for sailing enthusiasts seeking a boat that is both high-performance and comfortable, perfect for outings with family or friends.

...
- - - -
- - -
- - - -
- - -

Limitation of liability : XBOAT assumes no responsibility for the information provided in this technical data sheet, which has been sourced from the internet and has not been verified. This information is non-contractual and does not, in any way, bind XBOAT.



































































