



Main datas

Builder : Hatteras

Year : 1993

Length : 15,47

Draft : 1,30

hull : Monohull

Area : France Med

Berth details : A VOIR AVEC LA CAPITAINERIE

Flag : Italy

Subtype :

Architect :

Material : GRP

Beam : 4,83

keel : Fixed Keel

Life Raft : No

Mooring : Yes

Leasing in progress : No

Engines

Brand : DETROIT DIESEL

Montage : In Board (IB)

Power Unit. (CV) : 900

Comments :

Shaft : Shaft drive

Brand : DETROIT DIESEL

Fuel : Diesel

Comments :

Shaft : Shaft drive

Tank : 3700

Facilities

Sailor Cabin : 0	Double Cabin : 3
WC : Electric	Head : 2
Helm : No	Flybridge : Yes

Electronics

Radar details :	Radar : Yes
Sounder details :	Autopilot : Yes
Plotter details :	GPS : Yes
Watermaker details : 170 W	VHF : Yes
	Watermaker : Yes

Bridge equipment

Hydrolic Gangway : Yes	Gangway : Yes
Bath platform : Yes	Davits : No
Winter cover : No	Electric windlass : Yes
Furling mainsail : No	Furling genoa : No
Sails details :	Spinnaker : No
Teak cockpit : Yes	Teak deck : Yes

Major equipment

Stern thruster : Yes	Bow Thruster : Yes
Group and thruster details : ONAN 20KLW	Marine Gen. : Yes
Charger and AC details : 2 AIR CONDITIONING GROUP	AC : Yes
Tender : Yes	Flaps : Yes
Details : MERCURY 9/9	Tender Engine : Yes

Appliances

Freezer : Yes

Microwaves : Yes

Oven : Yes

Heating details :

Heater : Yes

TV : Yes

TV antenna : Yes

SAT-TV : No

IceMaker : Yes

Oven : Yes

Electric stove : Yes

SAT-TV : No

Divers

Comments : Equipped with two Detroit Diesel 71 series engines, 12V-71TA 900 hp model, 20 Kw Onan generator.

The internal layout includes master cabin with bathroom and shower amidships, guest cabin with bed double in the bow, side guest cabin with bunk beds, bathroom with shower and entrances from the two guest cabins.

Large living room with L-shaped sofa, dinette, equipped kitchen. Teak bathroom, kitchen, cockpit and flybridge floors.

Fly with two sofas, two armchairs, complete navigation instruments and integral closure with panels transparent and removable. Bow sundeck with cushions and hydraulic gangway with tender support.







