



Main datas

Builder : Belliure
Year : 1984
Length : 15,25
Draft minimum : 2,00
Hull : Monohull

Subtype :
Architect :
Material : GRP
Beam : 4,20
keel : Fixed Keel

Engines

Model :
Montage : In Board (IB)
Power Unit. (CV) : 80
Hours : 600
Fuel capacity : 1800

Brand : STEYR
Fuel : Diesel
Engine(s) : 2
Drive : Shaft drive

Facilities

Sailor Cabin : 1

WC : Electric

Helm : Yes

Double Cabin : 3

Head : 3

Berth : 8

Flybridge : No

Technical Details

The Belliure 50 is a cruising sailboat designed to offer comfort and performance. Built by the manufacturer Belliure, this boat is renowned for its robustness and elegance. Here are the main characteristics that make the Belliure 50 an ideal choice for sailing enthusiasts.

- Type of boat: Cruising sailboat -
- Builder: Belliure -
- Overall length: 15.24 meters -
- Hull length: 14.60 meters -
- Beam: 4.57 meters -
- Draft (standard): 2.50 meters -
- Displacement: 23.5 tonnes -
- Sail area (upwind): 115 m² -
- Sail area (downwind): 200 m² -
- Water tank capacity: 800 liters -
- Fuel tank capacity: 300 liters -
- Number of cabins: 3 -
- Number of berths: 6 to 8 -
- Construction material: Fiberglass with Kevlar reinforcements -
- Engine: Yanmar 75 HP -
- Navigation system: GPS, chartplotter, depth sounder, radar -
- Safety equipment: Lifeboat, life rafts, fire extinguishers -

The Belliure 50 is designed to offer an exceptional sailing experience, whether for coastal cruises or ocean crossings. Its robust hull and high-quality equipment make it a reliable and high-performance sailboat. Sailing enthusiasts will appreciate its comfort and performance, while families will find a spacious and well-appointed living space.

Limitation of liability : XBOAT assumes no responsibility for the information provided in this technical data sheet, which has been sourced from the internet and has not been verified. This information is non-contractual and does not, in any way, bind XBOAT.

















































































