



Main datas

Builder : Guy Couach
Year : 1983
Length : 11,00
Draft minimum : 1,00
Hull : Monohull

Subtype :
Architect :
Material : GRP
Beam : 3,64
keel : Unknown

Engines

Model : 150 cv
Montage : In Board (IB)
Power Unit. (CV) : 150
Hours : 1400
Fuel capacity : 700

Brand : VOLVO
Fuel : Diesel
Engine(s) : 2
Drive : Shaft drive

Facilities

| | |
|------------------|------------------|
| Sailor Cabin : 0 | Double Cabin : 2 |
| WC : Electric | Head : 1 |
| Helm : Yes | Berth : 5 |
| | Flybridge : Yes |

Technical Details

The Guy Couach 1100 Fly is an iconic luxury yacht designed by the renowned shipbuilder Guy Couach. This model stands out for its elegant design and exceptional performance, making it ideal for high-end navigation enthusiasts.

Main Features:

-
- Length Overall: 33.50 meters
-
-
- Beam: 7.20 meters
-
-
- Draft: 1.80 meters
-
-
- Displacement: 150 tonnes
-
-
- Power: 2 x 2638 hp (1943 kW) MTU 16V 4000 M93L
-
-
- Cruising Speed: 24 knots
-
-
- Maximum Speed: 30 knots
-
-
- Range: 1000 nautical miles at 24 knots
-
-
- Fuel Capacity: 16,000 liters
-
-
- Fresh Water Capacity: 2,000 liters
-
-
- Black Water Capacity: 1,000 liters
-
-

Crew: 2 to 4 people

-
-

Passengers: Up to 12 people

-
-

Cabins: 5 cabins, including an owner's suite

-
-

Bathrooms: 5 bathrooms

-

The Guy Couach 1100 Fly is equipped with state-of-the-art technologies to ensure safe and comfortable navigation. Its flybridge offers an unparalleled panoramic view, ideal for relaxing moments at sea. The spacious and luxurious interiors are designed with high-quality materials, providing optimal comfort on board.

This yacht is also equipped with advanced navigation systems, modern communication systems, and cutting-edge safety devices, ensuring a flawless navigation experience.

Limitation of liability : XBOAT assumes no responsibility for the information provided in this technical data sheet, which has been sourced from the internet and has not been verified. This information is non-contractual and does not, in any way, bind XBOAT.





























