

Ref: PAGUE65916



### **Main datas**

Builder : Narwhal Year : 2018 Length : 6,20

Draft minimum : 0,60 Hull : Monohull

Area:

Berth details : Flag : France

Subtype: Architect:

Material: Hypalon-neoprene

Beam: 2,37 keel: Unknown Life Raft: No Mooring: No

Leasing in progress: No

# **Engines**

Model: DF 150 Montage: HB (OB) Power Unit. (CV): 150

Hours : 700 Tank : 150 Brand : SUZUKI Fuel : Gas/petrol Engine(s) : 1

Comments: VERY MAINTAINED BY PRO SUZUKI.

**REPORT AVAILABLE** 

Shaft: Outboarder

#### **Facilities**

Sailor Cabin : 0 WC : Sailor Helm : No Double Cabin: 0

Head: 0
Berth: 0
Flybridge: No

#### **Electronics**

Radar details : Pilot details :

Sounder details: HUMMINBIRD 15 INCH SOLIX 15 GI

GPS details : Plotter details : Converter 12/220 : No Watermaker details : Radar : No
Autopilot : No
Sounder : Yes
GPS : Yes

**Chartplotter: Yes** 

VHF : No

Watermaker: No

## **Bridge equipment**

Hydrolic Gangway : No Bath platform : No Winter cover : No Sprayhood : No Furling mainsail : No

Sails details : Teak cockpit : No Gangway : No Davits : No

Electric windlass : No Cockpit awning : No Teak deck : No Spinnaker : No

# **Major equipment**

Stern thruster: No

Group and thruster details : Charger and AC details :

Black Water : No Tender : No Details : Bow Thruster : No Marine Gen. : No

AC : No Hot water : No Flaps : No

**Tender Engine: No** 

## **Appliances**

Freezer : No Microwaves : No Heater : No

Electric stove : No SAT-TV : No Dishwasher : No

TV: No

IceMaker: No
Oven: No
Gas stove: No
Heating details:
Washing machine: No

TV antenna: No

#### **Divers**

Comments: Narwahal 620 HD equipped with a T TOP e, removable aluminum.

**BOW PLATFORM.** 

**BODY PROTECTION COVER.** 

STAINLESS STEEL LIVESTOCKS 180 L LEANING STAINLESS STEEL CHEST.

VERY EQUIPPED FOR FISHING //SONAR, ROD HOLDER, MIN KOTA ENGINE WITH TERROVA BT SUPPORT 80 Lbs 152 cm UNDER GUARANTEE WITH 24 V LITHIUM BATTERY

WATER LAUNCHING OR STORAGE TRAILER.

This HD series RIB is built to the highest quality standards.

The reinforced V-shaped hull offers very efficient passage at sea, its "Unsinkable" design offers all the guarantees of safety at sea for a RIB.

Its floats shaped using the thermowelding method (assembly without the use of glue and therefore without taking off) with high-end TRITEX fabric. The Leafield brand valves used are also very high-end and ensure 100% perfect sealing. Pressure relief valves are also fitted to the floats. A very spacious deck plan is convertible and modular as desired according to everyone's needs. The deck has a very resistant non-slip coating which will delight divers. Families or fishermen will appreciate the interior depth which offers very reassuring freeboard, particularly for the safety of children at sea.

#### **FEATURES**

Overall length (cm) 620 cm
Interior length (cm) 490 cm
Overall width (cm) 237 cm
Max float diameter (cm) 56 cm
Number of compartments 6
Max engine power 176 HP
Recommended engine power 140 HP
Max engine weight 217 Kg
Motor shaft type L
Maximum number of people 15 people
Maximum authorized load (Kg) 2040 Kg
indicative weight (kg) 325 Kg

# Médias







































