



Main datas

Builder : Jeanneau
Year : 2000
Length : 11,60
Draft minimum : 0,93
Hull : Monohull

Subtype :
Architect : Jeanneau/Garroni - Musio Sale
Material : GRP
Beam : 3,84
keel : Fixed Keel

Engines

Model : KAMD 44
Montage : In Board (IB)
Power Unit. (CV) : 260
Hours : 650
Fuel capacity : 800

Brand : VOLVO
Fuel : Diesel
Engine(s) : 2
Drive : Shaft drive

Facilities

Sailor Cabin : 0

WC : Sailor

Helm : Yes

Double Cabin : 2

Head : 1

Berth : 6

Flybridge : Yes

Technical Details

The Prestige 36 is a magnificent cruising yacht designed by the renowned builder Jeanneau, known for the quality and innovation of its boats. This model is ideal for those seeking a perfect balance between performance, comfort, and elegance.

Main Characteristics:

- Length Overall: 11.34 m -
- Beam: 3.76 m -
- Draft: 1.15 m -
- Displacement: Approximately 8.5 tonnes -

Engineering:

- Engines: 2 Volvo Penta D4-220 diesel engines -
- Power: 2 x 220 hp -
- Cruising Speed: Approximately 20 knots -
- Maximum Speed: Up to 25 knots -

Capacity and Comfort:

- Cabins: 2 double cabins -
- Beds: 4 people -
- Bathroom: 1 bathroom with shower -
- Kitchen: Equipped kitchen with refrigerator, sink, and cooktop -
- Lounge: Cozy living space with convertible benches -

Navigation Equipment:

- GPS and electronic charts -
- Sonar and fishfinder -
- VHF radio -
- Safety barrier -

Technical Specifications:

- Freshwater Tank: 300 liters -
- Fuel Tank: 600 liters -
- Hull Material: Polyester -
- Deck Material: Synthetic teak -

The Prestige 36 by Jeanneau is an ideal choice for sailing enthusiasts who want to combine comfort and performance. With its elegant lines and modern equipment, this yacht is perfect for safe and comfortable sea outings in optimal conditions.

Limitation of liability : XBOAT assumes no responsibility for the information provided in this technical data sheet, which has been sourced from the internet and has not been verified. This information is non-contractual and does not, in any way, bind XBOAT.

Médias







